



MONARK LT2



MAIN FEATURES

- Monark G3 display system
- Unique manual power control
- Sprint power resistance
- Perfect fit frame
- Watt in display

Also available in white

THE BASICS

- Perfect cycle feeling
- Easy to use your own saddle, handlebar and pedals
- Speed dependent power control
- Possible to calibrate
- ANT+ and 5 kHz HR systems
- Possible to connect to PC Monark Test Software
- Workload range 0-1200W
- Training mode: Watt and METS
- No power adapter needed

Max user weight 180 kg

Medical Device class IIa

Monark Test Software

Specifications

MONARK LT2

| | |
|----------------------------------|--|
| Certifications | EU directive 93/42/EU class IIa |
| Frame | |
| Type | Sports, perfect fit |
| Handlebar | Racing handlebar |
| Stem | Adjustable, horizontal 60 mm, vertical 500-910 mm |
| Seatpost | Adjustable, horizontal 60 mm, vertical 530-940 mm |
| Saddle | Moody |
| BB | 68/110 mm |
| Crank | Steel, 172.5 mm |
| Pedals | 9/16", combi SPD |
| RESISTANCE | |
| System | Spring |
| Flywheel | 20 kg |
| DISPLAY | |
| RPM | Yes |
| HR | ANT+, 5 kHz |
| Time | Yes |
| Speed | Yes |
| Distance | Yes |
| Watt | Yes |
| Connectivity | |
| RS232 | n/a |
| Usb | Yes |
| WEIGHT & MEASUREMENTS | |
| Max user weight | 180 kg |
| Lenght [mm] | 1405 mm |
| Width [mm] | 640 mm |
| Height [mm] | Max 1240 mm |
| Weight [kg] | 57 kg |
| POWER REQUIREMENTS | Batteries in the display. Trafo is an accessory 220V (9V, 500 mA) |



HEART RATE

Equipped to measure heartrate via chestbelt or sensors in the handles.



TEST

Offers the possibility of performing different tests thanks to the accurate workload which can be calibrated.



PC CONNECTION

Direct connection to PC through a serial cable.

MEDICAL CE

Monark Exercise AB is since 1992 ISO 9001 certified. All models are:

- Approved under CE Certificate No. 153 601 (MDD IIa)
- Anti-corrosion treated and powder coated
- Made in Sweden